



ADJUSTABLE SURFACE SPOTLIGHT 4*10W SERIES ARTIVIA - L242AH1 LOOX PLUS

OVERVIEW

The ARTIVIA Surface Spotlight is a compact four-module luminaire designed to provide controlled multi-point illumination from a single ceiling fixture. Its integrated optical arrangement helps cover display and feature areas with fewer separate luminaires while maintaining a clean architectural appearance, making it well suited to retail, beauty, gallery and commercial interiors.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LD182ASG404	4000K, Gray, إضاءة نازلة سبوت لايت, Eaglerise Driver	40W	4000	100	>0.9	36°	>90	54

TECHNICAL INFORMATION

Frequency	50 - 60Hz
Input Voltage	220-240 VAC
Life Span	50000 H
Protection class	II
SDCM	<2
Ambient temperature(Ta)	-15℃+55℃
Operating temperature	-15℃+45℃
UGR	<17
Product Face Size (mm)	172*242*100
Product Weight (gr)	1431
Energy Usage	A+

PHOTOMETRIC DIAGRAMS



Chromaticity / CCT diagram



Beam angle / polar diagram

DIMENSION DRAWINGS





GENERAL INFORMATION

Body Material	Die-Cast Aluminum
Diffuser	PC
Reflector	PC
Mounting Type	Surface
Driver Brand	Eaglerise/Philips
Chip Brand	Osram/Bridgelux
LED Type	COB

APPLICATION AREAS

- Restaurants & Cafés: Dining Tables, Café Counters, Bar Counters, Communal Tables, etc.
- Beauty / Retail: Beauty Salons, Cosmetic Displays, Product Counters
- Commercial Buildings: Reception Desks, Customer Counters, Waiting-Lounge Tables, Feature Zones, Consultation Areas, etc.

