







ADJUSTABLE SPOTLIGHT 3*10W SERIES ARTIVIA - L265AH1 LOOX PLUS

OVERVIEW

The ARTIVIA Adjustable Spotlight is a recessed triple-head luminaire designed for flexible, controlled directional lighting. Its three independently adjustable heads with 360° rotation and 110° tilt allow light to be aimed precisely toward different objects, surfaces or architectural features from a single ceiling fixture. It is particularly suited to retail, showrooms, hospitality, galleries and feature lighting applications.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LD185A0G304	4000K, Gray, إضاءة نازلة سبوت لايت, Eaglerise Driver	30W	3000	100	>0.9	36°	90	54


TECHNICAL INFORMATION

Frequency	50-60 Hz
Input Voltage	220-240 VAC
Life Span	50000 H
Protection class	II
SDCM	≤2
Sensor	No
Ambient temperature(Ta)	-15℃+55℃
Operating temperature	-15℃+45℃
UGR	<17
Product Face Size (mm)	272 × 72 × 115 mm
Product Weight (gr)	833
Energy Usage	A+
Lumen Maintenance (L70)	3000


INSTRUCTION

Instruction Manual	

PHOTOMETRIC DIAGRAMS





Chromaticity / CCT diagram



Beam angle / polar diagram

DIMENSION DRAWINGS





GENERAL INFORMATION

Body Material	Die-Cast Aluminum
Diffuser	PC
Reflector	PC
Mounting Type	Recessed
Cut Size	55mm-200mm
Driver Brand	Eaglerise/Philips
Chip Brand	Osram/Bridgelux
LED Type	COB

APPLICATION AREAS

- Commercial Buildings: Showrooms, Retail displays, Product display ,walls Feature areas
- Residential Building: Entrances, Hallways, Dressing Areas, Feature Walls, Artwork Areas, etc.
- Museums / Galleries: Artwork, Exhibition displays ,Sculptures

