



GLASS T8 TUBE 25W 1.5M LOOX

OVERVIEW

This 5ft T8 LED glass tube is a reliable and energy-efficient lighting solution for general indoor applications. Designed to replace traditional fluorescent lamps, it offers reduced power consumption, stable performance, and a long service life. Backed by a 3-year warranty, it ensures consistent operation with minimal maintenance.


PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LKT15G10253	3000K, إضاءة انبوب	25	2400	95	>0.5	280°	>70	20

TECHNICAL INFORMATION


Frequency(Hz)	50
Input Voltage(V)	220-260
Life Span(Hrs)	30000
IK	
Surge Protection(KV)	
Protection Class	
SDCM	<6
Sensor	No
Ambient Temperature(Ta)	
Operating Temperature	
UGR	
Product Face Size (mm)	1500
Product Weight (gr)	
Energy Usage	A+
Lumen Maintenance(lm)	2400

PHOTOMETRIC DIAGRAMS



Chromaticity / CCT diagram

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	Glass + PC base
Diffuser	
Reflector	
Mounting Type	Surface
Cut Size	
Driver Brand	
Chip Brand	
LED Type	

APPLICATION AREAS

- Schools
- Car Parking
- Warehouses
- Residential Building
- Commerical Buildings
- Garages and Workshops
- Industrial & Storage Facilities

3 YEARS GUARANTEE
ISO 9001:2005
ISO 14001:2015
CE