

LINEAR LIGHT PURIFY 60W PRISMATIC LUMINATION

OVERVIEW

Linear Light Purify is a modern lighting solution that combines high-efficiency LED illumination with integrated
air purification technology. Designed for clean, sleek aesthetics and optimal performance, this fixture enhances
both visibility and indoor air quality in a single unit.


PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
UKA12PR0606	6500K, إضاءة خطية	60	5400	90	>0.5	120°	>70	20

TECHNICAL INFORMATION

Frequency(Hz)	50
Input Voltage(V)	220-260
Life Span(Hrs)	20000
IK	
Surge Protection(KV)	
Protection Class	
SDCM	4>
Sensor	No
Ambient Temperature(Ta)	-20° , +50°
Operating Temperature	-20° , +50°
UGR	
Product Face Size (mm)	1200*60*25
Product Weight (gr)	286.5
Energy Usage	A+
Lumen Maintenance(lm)	5400

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	Iron + PS
Diffuser	
Reflector	
Mounting Type	Surface
Cut Size	
Driver Brand	
Chip Brand	
LED Type	

APPLICATION AREAS

- Schools
- Car Parking
- Warehouses
- Residential Building
- Commerical Buildings
- Garages and Workshops

2 YEARS GUARANTEE
ISO 9001:2005
CE
ISO 14001:2015