







THREE PENDANT LIGHT 36W SERIES ARTIVIA - M3 LOOX PLUS

OVERVIEW

The ARTIVIA Three-Light Pendant combines three suspended light heads within a single linear ceiling fixture, providing focused illumination with a clean architectural appearance. Its multi-light arrangement helps distribute light across longer surfaces while creating a distinctive decorative feature, making it ideal for dining tables, kitchen islands, café counters, reception areas and other feature spaces.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LDH18MSG364	4000K, Gray, إضاءة معلقة, Eaglerise Driver	36W	3600lm	100	>0.9	36°	>90	54


TECHNICAL INFORMATION

Frequency	50-60 Hz
Input Voltage	220-240 VAC
Life Span	50000 H
Protection class	Class II
SDCM	≤ 2
Sensor	No
Ambient temperature(Ta)	-15℃+55℃
Operating temperature	-15℃+45℃
UGR	<17
Product Face Size (mm)	385*72*1015
Product Weight (gr)	1425
Energy Usage	A+
Lumen Maintenance (L70)	3600


INSTRUCTION

Instruction Manual	

PHOTOMETRIC DIAGRAMS





Chromaticity / CCT diagram



Beam angle / polar diagram

DIMENSION DRAWINGS





GENERAL INFORMATION

Body Material	Die-Cast Aluminum
Diffuser	PC
Reflector	PC
Mounting Type	Pendant / Suspended
Driver Brand	Eaglerise/Philips
Chip Brand	Osram/Bridgelux
LED Type	COB

APPLICATION AREAS

- Restaurants & Cafés: Dining Tables, Café Counters, Bar Counters, Communal Tables, etc.
- Beauty / Retail: Beauty Salons, Cosmetic Displays, Product Counters
- Residential Buildings: Dining Tables, Kitchen Islands, etc.