







FOUR PENDANT LIGHT 40W SERIES ARTIVIA - M4 LOOX PLUS

OVERVIEW

The ARTIVIA Four-Light Pendant combines four suspended light heads within a single ceiling fixture, providing layered and focused illumination with a distinctive architectural appearance. Its multi-light arrangement helps distribute light across wider surfaces while creating visual depth, making it ideal for dining tables, kitchen islands, reception counters, café bars and other feature areas.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LDH18MSG404	4000K, Gray, إضاءة معلقة, Eaglerise Driver	40W	4000	100	>0.9	36°	>90	54

TECHNICAL INFORMATION

Frequency	50-60 Hz
Input Voltage	220-240 VAC
Life Span	50000 H
Protection class	Class II
SDCM	≤ 2
Sensor	No
Ambient temperature(Ta)	-15℃+55℃
Operating temperature	-15℃+45℃
UGR	<17
Product Face Size (mm)	242*172*1000
Product Weight (gr)	1425
Energy Usage	A+
Lumen Maintenance (L70)	4000

INSTRUCTION

Instruction Manual	

PHOTOMETRIC DIAGRAMS



Chromaticity / CCT diagram



Beam angle / polar diagram

DIMENSION DRAWINGS





GENERAL INFORMATION

Body Material	Die-Cast Aluminum
Diffuser	PC
Reflector	PC
Mounting Type	Pendant / Suspended
Driver Brand	Eaglerise/Philips
Chip Brand	Osram/Bridgelux
LED Type	COB

APPLICATION AREAS

- Residential Buildings: Dining Tables, Kitchen Islands, etc.
- Restaurants & Cafés: Dining Tables, Café Counters, Bar Counters, Communal Tables, etc.
- Commercial Buildings: Reception Desks, Customer Counters, Waiting-Lounge Tables, Feature Zones, Consultation Areas, etc.

