





MINI BULKHEAD LAMP 10W LOOX

OVERVIEW

This bulkhead light features a high-quality polycarbonate diffuser that delivers soft, glare-free lighting, combined with a strong outer housing for enhanced durability and protection. Its compact surface-mounted design makes it ideal for spaces where recessed installation is not possible.


PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
	, ROUND, Gray, Wall Light	10W	1100-1500	110-150	>0.5	120°	>80	20/65

TECHNICAL INFORMATION

Frequency(Hz)	50/60
Input Voltage(V)	220-240
Life Span(Hrs)	50000
IK	
Surge Protection(KV)	
Protection Class	
SDCM	<6
Sensor	
Ambient Temperature(Ta)	
Operating Temperature	
Product Face Size (mm)	300/220*135*65
Product Weight (gr)	
Energy Usage	
Lumen Maintenance(lm)	

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	Aluminium
Diffuser	PC
Reflector	
Mounting Type	Surface
Cut Size(mm)	
Driver Brand	Philips
Chip Brand	Osram
LED Type	

APPLICATION AREAS

- Retail & Showrooms
- Hotels & Hospitality
- Warehouses
- Residential
- Commerical Buildings
- Industrial & Storage Facilities