



MIRROR LIGHT 15W SERIES LUCENTA IP44 LOOX

OVERVIEW

The LED Mirror Batten Light (IP44) is a sleek and efficient lighting solution designed specifically for bathroom and vanity applications. With its slim linear design and uniform light distribution, it provides clear, shadow-free illumination, making it ideal for grooming, shaving, and makeup tasks.

Engineered with an IP44 protection rating, the light is resistant to water splashes and moisture, ensuring safe and reliable performance in bathroom environments. The high-quality diffuser delivers soft, glare-free lighting, while the durable housing ensures long-lasting operation with minimal maintenance.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LKMLUC40153 LKMLUC40154 LKMLUC40156	Chrome, 3000K / 4000K / 6500K, Mirror Light	15W	1500	150	0.9	180	>80	44

TECHNICAL INFORMATION

Frequency	50/60
Input Voltage	175-265
Life Span	30000
IK	02
Surge Protection	
Protection class	IP44
SDCM	<3
Sensor	
Ambient temperature(Ta)	
Operating temperature	
UGR	
Product Face Size (mm)	595*44*63
Product Weight (gr)	200
Energy Usage	
Lumen Maintenance	

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	Aluminium
Diffuser	PC
Reflector	
Mounting Type	Surface
Cut Size	
Driver Brand	Philips
Chip Brand	Osram
LED Type	

APPLICATION AREAS

- Schools
- Car Parking
- Warehouses
- Residential Building
- Commerical Buildings
- Garages and Workshops
- Industrial & Storage Facilities