



SURFACE PANEL 20W LUMINATION

OVERVIEW

A surface-mounted LED panel light designed to provide uniform, diffused illumination across indoor spaces. Its slim circular profile allows direct ceiling installation without recessed cut-outs, while the opal diffuser helps reduce visible glare and create comfortable, consistent lighting. Suitable for residential interiors, offices, corridors, and general commercial areas.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
UPP20010203 UPP20010206	2700K / 6500K, ROUND, Panel Light	20W	1800	90	>0.5	120°	>70	20

TECHNICAL INFORMATION

Input Voltage(V)	220-260
Life Span(Hrs)	25000
SDCM	<5
Product Face Size (mm)	219*25
Product Weight (gr)	200
Energy Usage	A
Lumen Maintenance(lm)	1800

PHOTOMETRIC DIAGRAMS



Beam angle / polar diagram

DIMENSION DRAWINGS





GENERAL INFORMATION

Body Material	Iron Housing
Mounting Type	Surface

APPLICATION AREAS

- Warehouses
- Residential Building
- Garages and Workshops

