





DOWNLIGHT 7W D5 LUMINATION

OVERVIEW

A round recessed ceiling fixture for general indoor lighting. Its textured diffuser softens the downward light, while the slim white trim sits close to the ceiling for a clean finish. It suits circulation areas, small seating spaces, and guest-room entrances.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	CRI (Ra)	IP Rating
UPD1D510071 UPD1D510073 UPD1D510074 UPD1D510076	3CCT / 2700K / 4000K / 6500K, ROUND, Down Light, White	7	450	75	>0.5	80	20

TECHNICAL INFORMATION

Frequency(Hz)	50-60
Input Voltage(VAC)	220-260
Life Span(Hrs)	25000
Sensor	No
Product Face Size (mm)	90*25
Product Weight (gr)	35
Energy Usage	A+
Lumen Maintenance(lm)	595

INSTRUCTION

Instruction Manual	

DIMENSION DRAWINGS





GENERAL INFORMATION

Body Material	PP (Fire retardant)
Diffuser	PC
Mounting Type	Recessed
Cut Size(mm)	70

APPLICATION AREAS

- Residential Interiors — Entrance foyers, hallways, dressing areas.
- Hotels — Guest-room entrances, wardrobe alcoves, elevator lobbies
- Art Galleries — Visitor waiting alcoves, entrance foyers, corridors between exhibition rooms.

2 YEARS GUARANTEE
ISO 9001:2015
ISO 14001:2015
CE