



A BULB 10W LOOX

OVERVIEW

Features:

- Warm and cool light options available
- High color Rendering Index

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LLA60200103 LLA60200104 LLA60200106	LOOX, 2700K / 4000K / 6500K, Bulb Light	10	900	90	>0.5	220°	>80	20

TECHNICAL INFORMATION

Frequency(Hz)	50
Input Voltage(V)	180-265
Life Span(Hrs)	30000
IK	
Surge Protection(KV)	
Protection Class	
SDCM	<6
Sensor	No
Ambient Temperature(Ta)	
Operating Temperature	
UGR	
Product Face Size (mm)	108*60
Product Weight (gr)	43
Energy Usage	A+
Lumen Maintenance(lm)	900

PHOTOMETRIC DIAGRAMS



Beam angle / polar diagram

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	PA + PC
Diffuser	
Reflector	
Mounting Type	Socket
Cut Size(mm)	
Driver Brand	
Chip Brand	
LED Type	

APPLICATION AREAS

- Schools
- Car Parking
- Warehouses
- Residential Building
- Commerical Buildings

2 YEARS GUARANTEE
ISO 9001:2005
ISO 14001:2015
CE