



T BULB 60W OMILEX

OVERVIEW

Features:

• Reliable everyday lighting with a balanced combination of performance and cost-efficiency


PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
OLT10200603 OLT14200606	2700K / 6500K, Bulb Light	60	90	>0.5	220°	>70	20

TECHNICAL INFORMATION

Frequency(Hz)	50
Input Voltage(V)	220-260
Life Span(Hrs)	25000
IK	
Surge Protection(KV)	
Protection Class	
SDCM	
Sensor	
Ambient Temperature(Ta)	
Operating Temperature	
UGR	
Product Face Size (mm)	100*170
Product Weight (gr)	68
Energy Usage	
Lumen Maintenance(lm)	

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	
Diffuser	
Reflector	
Mounting Type	Socket
Cut Size(mm)	
Driver Brand	
Chip Brand	
LED Type	

APPLICATION AREAS

- Schools
- Car Parking
- Warehouses
- Residential Building
- Commerical Buildings
- Garages and Workshops

ISO 9001:2005 ISO 14001:2015 CE