



LINEAR SPOT LIGHT 20W LOOX PRO

OVERVIEW

A linear spotlight with a 3CCT dip switch is a sleek, elongated LED fixture that not only delivers even, modern illumination but also lets you switch between three preset color temperatures (warm, neutral, cool) using a built-in dip switch for flexible lighting in one unit.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LLS00L0207 LLS00L0203 LLS00L0204 LLS00L0206	Black, 3CCT DIP Switch / 3000K / 4000K / 6500K	20	1800	90	>0.5	24°	77	20


TECHNICAL INFORMATION

Frequency	60
Input Voltage	175-265
Life Span	25000
IK	
Surge Protection	
Protection class	
SDCM	<2
Sensor	No
Warranty	3 Years
Ambient temperature(Ta)	
Operating temperature	
UGR	
Product Face Size (mm)	285*45*40
Product Weight (gr)	247
Energy Usage	A+
Lumen Maintenance	1800

INSTRUCTION


Instruction Manual	

PHOTOMETRIC DIAGRAMS



Beam angle / polar diagram

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	Die-cast Aluminium Housing+PC Cover
Diffuser	
Reflector	
Mounting Type	Recessed
Cut Size	
Driver Brand	
Chip Brand	
LED Type	

APPLICATION AREAS

- Schools
- Car Parking
- Warehouses
- Residential Building
- Commerical Buildings