







LINEAR LIGHT 15W IP65 RAIN SERIES LOOX

OVERVIEW

Linear Light 15W IP65 is a compact, waterproof LED fixture designed for durability and high performance in challenging environments. With its IP65 rating, it offers reliable protection against dust and water, making it ideal for both indoor and outdoor applications.


PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LKN06IP0153 LKN06IP0156	3000K / 6500K	15	1950	130	>0.9	120°	>70	65

TECHNICAL INFORMATION

Frequency(Hz)	50
Input Voltage(V)	220260
Life Span(Hrs)	50000
IK	06
Surge Protection(KV)	
Protection Class	
SDCM	
Sensor	No
Ambient Temperature(Ta)	-20° , +50°
Operating Temperature	-20° , +50°
UGR	12
Product Face Size (mm)	600*68.7*54.6
Product Weight (gr)	400
Energy Usage	A+
Lumen Maintenance(lm)	1950

PHOTOMETRIC DIAGRAMS



Beam angle / polar diagram

GENERAL INFORMATION

Body Material	PC lamp housing and aluminum heat-sink0
Diffuser	
Reflector	
Mounting Type	Surface
Cut Size	
Driver Brand	
Chip Brand	
LED Type	

APPLICATION AREAS

- Schools
- Car Parking
- Warehouses
- Residential Building
- Commerical Buildings
- Garages and Workshops
- Industrial & Storage Facilities