

UFO HIGH BAY 150W NOORBAY SERIES LUMINATION

OVERVIEW

This industrial-grade UFO high bay fixture features a Disk-On-Board (DOB) LED array for efficient, high-lumen output. Its circular design integrates a robust aluminum heatsink for optimal thermal management, ensuring long lifespan and stable performance. Ideal for high-ceiling environments such as factories, warehouses, and workshops, it delivers uniform illumination with minimal glare. The fixture supports direct AC input, simplifying installation and reducing driver-related failure points.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
UIU22L01509 UIU22L01506	3CCT DIP Switch / 6500K, Highbay Light, Black	150	1500	100	>0.9	120°	>70	20

TECHNICAL INFORMATION

Frequency(Hz)	50
Voltage(V)	220-260
Life Time(Hrs)	25000
IK	05
Surge Protection(KV)	2KV/4KV
Protection Class	
SDCM	<6
Sensor	No
Ambient Temperature(Ta)	
Operating Temperature	
THD	
Product Face Size (mm)	275*275*46.5
Product Weight (gr)	
Energy Usage	A+
Lumen Maintenance(lm)	15000
UGR	

INSTRUCTION

Instruction Manual	

GENERAL INFORMATION

Body Material	
Diffuser	
Reflector	
Mounting Type	
Cut Size(mm)	
Driver Brand	
Chip Brand	
Light Source	Sanan
Cable & Gland Type	

APPLICATION AREAS

- Hotel and Resorts
- Parking areas
- Villa Walkways
- Workshops & Maintenance Facilities
- Landscape lighting
- Commerical and Resindential Entrances
- Mosques & landmarks
- Warehouses & Logistics Centers
- Industrial & Storage Facilities

2 YEARS GUARANTEE
ISO 9001:2005
ISO 14001:2015
CE