

STRIP LIGHT 2835 120 12V LOOX

OVERVIEW

This 12V light strip has a low power consumption of 18W/m and It features a copper base for stable performance and operates in multiple colors to suit various interior spaces. It is ideal for homes, shops, and hotels, with a flexible and easy to-install design.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	CRI (Ra)	IP Rating
LR28351120B LR28351120I LR28351120P LR28351120R LR283511203 LR283511204 LR283511206	BLUE / PINK / PURPLE / RED / 2700K / 4000K / 6500K, 2 years, Strip Light	9	1000	110	>70	20

TECHNICAL INFORMATION

Power Factor(Pf)	
Voltage(V)	12
Frequency(Hz)	50
IK	
SDCM	<6
Ambient Temperature(Ta)	
Life Time(Hrs)	
Total Luminous Flax(lm)	1000
Product Size(mm)	

GENERAL INFORMATION

PCB Base (Copper or Iron)	Iron
PCB Width(mm)	11
Thickness(mm)	8
Cutting Length(M/CM)	5M
Cut Size(M/CM)	2.5CM
LED Qty(pcs)	120
DOB	
Mounting Type	Surface

APPLICATION AREAS

- Education
- Car Parking
- Industrial & Storage