

COB STRIP LIGHT 12V(5M/ROLL) LOOX

OVERVIEW

This 12V LED strip light boasts a high efficiency of up to 90 lumens/watt, features a copper base for stable performance, and comes in 2700K, 4000K,
and 6500K color temperatures. Ideal for indoor use in homes, shops, and hotels, it provides a smooth and even light distribution.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	CRI (Ra)	IP Rating
LRC28012283 LRC28012284 LRC28012286	2700K / 4000K / 6500K, 280, Strip Light, IP20	8	720	90	>70	20 / 65

TECHNICAL INFORMATION

Power Factor(Pf)	
Voltage(V)	12
Frequency(Hz)	50
IK	
SDCM	<6
Ambient Temperature(Ta)	
Life Time(Hrs)	50000
Total Luminous Flax(lm)	720
Product Size(mm)	

GENERAL INFORMATION

PCB Base (Copper or Iron)	Iron
PCB Width(mm)	8
Thickness(mm)	12
Cutting Length(M/CM)	5M
Cut Size(M/CM)	5CM
LED Qty(pcs)	280 / 320
DOB	
Mounting Type	Surface

APPLICATION AREAS

- Education
- Car Parking
- Industrial & Storage

