

NEON STRIP LIGHT HIGH VOLTAGE 360° 2835-120 LOOX

OVERVIEW

This 360° neon strip, with a power of 7 watts/meter and an efficiency of up to 50 lumens/watt, features a copper base, consistent color quality, is waterproof, and performs efficiently in indoor and outdoor environments and varying temperatures. Available in multiple colors, including white and primary colors, it provides flexible and attractive lighting for diverse applications.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	CRI (Ra)	IP Rating
LRN3600120G LRN3600120R LRN36001203 LRN36001206	GREEN / RED / 2700K / 6500K, Strip Light	7	360	>70	65

TECHNICAL INFORMATION

Power Factor(Pf)	
Voltage(V)	220-260
Frequency(Hz)	50
SDCM	<6
Life Time(Hrs)	25000
Total Luminous Flax(lm)	360
Product Size(mm)	

GENERAL INFORMATION

PCB Base (Copper or Iron)	Copper
PCB Width(mm)	6
Thickness(mm)	14
Cutting Length(M/CM)	10M
Cut Size(M/CM)	1M
LED Qty(pcs)	120
DOB	
Mounting Type	Surface

APPLICATION AREAS

- Schools
- Car Parking
- Industrial & Storage Facilities

