





STEP LIGHT 3W WHITE LOOX

OVERVIEW

3W recessed LED step light, ideal for stairways, corridors, and indoor pathway lighting.
Features a modern recessed design, low power consumption, and uniform illumination with long lifespan.


PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	CRI (Ra)	IP Rating
LDSW0000033 LDSW0000034 LDSW0000036	3000K / 4000K / 6500K	3	150	50	>0.9	>90	65

TECHNICAL INFORMATION

Frequency(Hz)	50
Input Voltage(V)	220-260
Life Span(Hrs)	50000
IK	
Surge Protection(KV)	
Protection Class	
SDCM	
Sensor	No
Ambient Temperature(Ta)	-20° , +50°
Operating Temperature	-20° , +50°
UGR	
Product Face Size (mm)	85*85*50
Product Weight (gr)	180
Energy Usage	A+
Lumen Maintenance(lm)	150

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	Aluminum
Diffuser	
Reflector	
Mounting Type	Recessed
Cut Size	81*81
Driver Brand	
Chip Brand	Osram
Light Source	
Cable & Gland Type	

APPLICATION AREAS

- Hotel and Resorts
- Parking areas
- Villa Walkways
- Garages and Workshops
- Landscape lighting
- Commerical and Resindential Entrances
- Mosques & landmarks
- Building façades
- Industrial & Storage Facilities