



MAGNETIC SPOTLIGHT 7W M30 SERIES SURFACE LOOX

OVERVIEW

A compact magnetic track spotlight designed for precise accent lighting. Its deep reflector and anti-glare design provide focused illumination with improved visual comfort, making it suitable for residential, retail, ,and commercial interiors.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LIMS30LS073 LIMS30LS074	3000K / 4000K, Black, Magnetic Light	7	60	>0.5	24°	>80	20

TECHNICAL INFORMATION

Frequency(Hz)	50-60
Input Voltage(V)	48
Life Span(Hrs)	30000
SDCM	<1
Operating Temperature	-20° C , +50° C
Product Face Size (mm)	85*63
Product Weight (gr)	183.2
Energy Usage	A+

INSTRUCTION

Instruction Manual	

GENERAL INFORMATION

Body Material	Aluminum
Mounting Type	Surface

APPLICATION AREAS

- Retail & Boutiques: display tables, feature displays, premium product zones
- Residential Building: Dining spaces, majlis areas , decorative ceiling compositions
- Decorative Projects: Feature ceilings, architectural compositions, interior accent-lighting arrangements

