



MAGNETIC UMBRELLA PENDANT 10W M30 SERIES SURFACE LOOX

OVERVIEW

A decorative pendant luminaire designed to provide focused yet comfortable illumination with a refined suspended form. Its transparent umbrella-shaped shade helps create a soft visual effect while enhancing the architectural character of the interior. Its main advantage is the combination of elegant decorative styling and practical downward lighting. Suitable for residential, commercial, and decorative interior applications.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
LIMU30LS073 LIMU30LS074	3000K / 4000K, Black, Magnetic Light	10W	50	>0.5	36°	>80	20


TECHNICAL INFORMATION

Frequency(Hz)	50-60
Input Voltage(V)	48V
Life Span(Hrs)	30000
Sensor	No
Operating Temperature	-20° C , +50° C
Product Face Size (mm)	D200*H200
Product Weight (gr)	364.1
Energy Usage	A+

INSTRUCTION

Instruction Manual	

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	ALU+ACCRYLIC
Mounting Type	Magnetic Suspended

APPLICATION AREAS

- Retail & Boutiques: display tables, feature displays, premium product zones
- Residential Building: Dining spaces, majlis areas , decorative ceiling compositions
- Decorative Projects: Feature ceilings, architectural compositions, interior accent-lighting arrangements

