



DIMMABLE SPOTLIGHT 7W MR16 LOOX

OVERVIEW

The MR16 Spotlight is a compact, energy-efficient lighting solution designed for directional and accent lighting. It features a standard MR16 base and emits focused light, making it ideal for highlighting specific areas or objects in both residential and commercial environments.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Beam Angle	CRI (Ra)	Power Factor(pf)	IP Rating
LLSNCDM0073 LLSNCDM0074 LLSNCDM0076	2700K / 4000K / 6500K, Spot Light	7	595	85	110°	>80	>0.7	20

TECHNICAL INFORMATION

Frequency(Hz)	50
Input Voltage(V)	170-265
Life Span(Hrs)	25000
IK	
Surge Protection(KV)	
Protection Class	
SDCM	<6
Sensor	No
Ambient Temperature(Ta)	+50°C , -20°C
Operating Temperature	
UGR	
Product Face Size (mm)	53*50
Product Weight (gr)	32
Energy Usage	A+
Lumen Maintenance(lm)	595

APPLICATION AREA

Schools	
Car Parking	
Residential Building	
Commerical Buildings	

DIMENSION DRAWINGS



GENERAL INFORMATION

Body Material	PA
Diffuser	PC
Reflector	
Mounting Type	Socket
Cut Size(mm)	
Driver Brand	
Chip Brand	
LED Type	

3 YEARS GUARANTEE

ISO 9001:2005

ISO 14001:2015

CE