



STRIP LIGHT 2835 240 12V LOOX

OVERVIEW

A flexible LED strip designed to provide continuous linear illumination for decorative and functional lighting applications. Its closely spaced light sources help create a smooth and consistent lighting effect, while the flexible construction allows easy integration into a variety of interior details and surfaces. Its key advantage is versatile installation for concealed and accent lighting. Suitable for residential interiors, retail spaces, hotels, display areas and architectural details

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	CRI (Ra)	IP Rating
LR283521313 LR283521314 LR283521316	3000K / 4000K / 6500K, 10mm, Strip Light, IP65	18	2000	110	>70	65

TECHNICAL INFORMATION

Voltage(V)	12v
Frequency(Hz)	50
Life Time(Hrs)	25000

GENERAL INFORMATION

PCB Base (Copper or Iron)	Iron
PCB Width(mm)	11
Thickness(mm)	12
Cutting Length(M/CM)	5M
Cut Size(M/CM)	2.5CM
LED Qty(pcs)	240
Mounting Type	Surface

APPLICATION AREAS

- Residential: Cove lighting, kitchen cabinets, wardrobes, stairs and shelving
- Retail: Display shelves, showcases, counters and architectural details
- Industrial & Storage: Shelving, work areas, access routes and auxiliary linear lighting