



GLASS T8 TUBE 15W LUMINATION

OVERVIEW

The T8 Glass LED Tube offers a high-efficiency lighting solution designed to replace traditional fluorescent tubes. With a wide 280° beam angle and reliable 1500 lumen output, it delivers consistent, energy-saving illumination for a variety of indoor spaces.

PRODUCT VARIANTS & TECHNICAL DATA

Code	Type / Description	Wattage(W)	Total Luminous Flux(lm)	Luminous Efficacy(lm/W)	Power Factor(pf)	Beam Angle	CRI (Ra)	IP Rating
UKT06G10153 UKT06G10154 UKT06G10156	2700K / 4000K / 6500K, White, Tube Light	15W	1500	100	>0.5	280°	70	20

TECHNICAL INFORMATION

Frequency(Hz)	60
Input Voltage(V)	220-260
Life Span(Hrs)	25000
Surge Protection(KV)	
Protection Class	
SDCM	>6
Sensor	No
Ambient Temperature(Ta)	-20° , +50°
Operating Temperature	-20° , +50°
UGR	
Product Face Size (mm)	600*C26
Product Weight (gr)	
Energy Usage	A+

GENERAL INFORMATION

Body Material	Glass + PC Holder
Mounting Type	Holder
Cut Size	
Driver Brand	
Chip Brand	
LED Type	

APPLICATION AREAS

- Schools
- Car Parking
- Warehouses
- Residential Building
- Commerical Buildings
- Garages and Workshops

2 YEARS GUARANTEE
ISO 9001:2005
CE
ISO 14001:2015