

LED Garden Light






TECHNICAL SPECIFICATIONS	
Input (Optional)	220-240V~50/60 Hz
Maximum Wattage	12W±10% Max
Number of LEDs	
1 LEDs COB	

Luminous Flux
663LM (3000K)

Main Material
Aluminum & Glass

Color Temperature
3000K / 4000K / 6500K

CRI	≥90
Power Factor	≥0.8
Working Temperature	-10°C~45°C
Beam Angle (Optional)	36°
Fixture Dimmable	Non-dimmable
Electrical	Internal Driver
Protection class	IP65




Especially designed for:
Homes, living rooms, bedrooms, hallways, hotels, apartments, libraries, exhibition halls, museums, stations, hospitals, clothing stores, jewelry stores, cafes, shopping malls, showrooms, office space, banks, opera houses, cinemas, showcases, etc.



Product Model No.	MG-SP308-1-12W	
Packaging Detail	46X27X54CM	
STD PKG	16pcs	
N.W	14.34kgs	
G.W	15.34kgs	

12W LED 3000K 663lm / incl. Driver SEC: Constant Current: DC300mA DC24-42V /
PRI: 220-240 V~ 50/60 Hz 0.18A



1m	1633.56lx	0.62m
2m	408.39lx	1.24m
3m	181.51lx	1.87m
4m	102.10lx	2.49m
5m	65.34lx	3.11m

cd	Height	illuminance	Diameter
----	--------	-------------	----------

Various Brand of COB LED Light Source:

OSRAM	PHILIPS	LUMENS	EPISTAR	CITIZEN	LUMINUS	DISON	SAMSUNG	BRIDGELUX	LG
-------	---------	--------	---------	---------	---------	-------	---------	-----------	----



LED Garden Light



TECHNICAL SPECIFICATIONS

Input (Optional)	220-240V~50/60 Hz
Maximum Wattage	12W±10% Max

Number of LEDs

1 LEDs COB

Luminous Flux

663LM (3000K)

Main Material

Aluminum & Glass

Color Temperature

3000K / 4000K / 6500K

CRI ≥90

Power Factor ≥0.8

Working Temperature -10°C~45°C

Beam Angle (Optional) 36°

Fixture Dimmable Non-dimmable

Electrical Internal Driver

Protection class IP65




Product Model No.	MG-SP308-3 -12W	
Packaging Detail 	84X44X27CM	
	STD PKG	10pcs
	N.W	12.72kgs
	G.W	13.72kgs

12W LED 3000K 663lm / incl. Driver SEC: Constant Current: DC300mA DC24-42V /
PRI: 220-240 V~ 50/60 Hz 0.18A




Warm White 3000K ∠36°

	1m	1633.56lx	0.62m
	2m	408.39lx	1.24m
	3m	181.51lx	1.87m
	4m	102.10lx	2.49m
	5m	65.34lx	3.11m
	cd	Height	illuminance Diameter



Especially designed for:

Homes, living rooms, bedrooms, hallways, hotels, apartments, libraries, exhibition halls, museums, stations, hospitals, clothing stores, jewelry stores, cafes, shopping malls, showrooms, office space, banks, opera houses, cinemas, showcases, etc.



Various Brand of COB LED Light Source:

