



LED Flood light

LED Titan Series

- **Titan Series LED Flood Light** provides reliable performance, great visibility and a better than expected lighting experience. The luminaire offers a wide range of power and CCTs to meet different requirements of application

- Sporting Facility
- Stadium lighting
- Public Square
- Shipping Yard
- Parking Lot
- Container Loading Area
- Airport
- Port
- Railway

Technical Specifications

Specification	Value	Specification	Value
Power	100W	IK	08
Total Luminous Flux	20000Lm	THD	<10%
Luminous Efficacy	200Lm/W	Flicker free	Yes
Color Temperature	2700K – 6500K	Surge Protection	10KV
Beam Angle	120°	Housing Material	Die Cast Aluminum
CRI (Ra)	>70	Life Span	50000hrs
Dimming	0/1-10V dimming (optional)	Warranty	5 Years
Input Voltage	200...240V	Product variant Codes	LIF1TI0100
Power Factor	0.95	Product Weight	1.5 kg
Material	Die Cast Aluminum	Product Face Size	303*220*52 mm
Mounting	Bracket	Driver Brand	lifude
IP Rating	66	LED chips	lumiled

Features:

- Modules can be adjusted individually and as a whole to suit different needs on the angle.
- Customers can purchase module components and assemble them by themselves, which can reduce shipping costs.
- High-quality optical material and various light distribution angles deliver ideal illumination and visual comfort.



About US

Crystal Flash Co. LLC is a manufacturer, developer, and distributor of goods within the lighting industry. The company is known for providing a top-quality level product with high and strict QC checks and standard requirements which have proven to be exemplary regarding the quality of their production firms. Crystal Flash Co. maintains an emphasis on growth, development, and advancement of themselves as a company, and in the industry in which they


operate. Crystal Flash Co. is proud of the fact that it has access to an advanced laboratory and a well-equipped and proficient R&D team, which allows them to produce products under IEC 662776, IEC 62031, IEC 61347, and IEC 60598 standards, as well as products that are fit to be exported to Europe, being approved by CE quality standards




Oman Office : Plot No. 4 (Next to National Paints),
Rusayl Industrial City, Seeb, Muscat, Oman
Po. Box. : 2951
Tel : +968 94073578
+968 79970415
+968 24446104
Email : management@crystalflashco.com
Website : loox-lumination.com



Dimensions



Photometric



120 Degree



Oman Office : Plot No. 4 (Next to National Paints),
Rusayl Industrial City, Seeb, Muscat, Oman
Po. Box. : 2951
Tel : +968 94073578
+968 79970415
+968 24446104
Email : management@crystalflashco.com
Website : loox-lumination.com

